

兔抗 MYCN 多克隆抗体

中文名称:	兔抗 MYCN 多克隆抗体
英文名称:	Anti-MYCN rabbit polyclonal antibody
别名:	NMYC; ODED; MODED; N-myc; MYCNOT; bHLHe37
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	MYCN
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	This gene is a member of the MYC family and encodes a protein with a basic helix-loop-helix (bHLH) domain. This protein is located in the nucleus and must dimerize with another bHLH protein in order to bind DNA. Amplification of this gene is associated with a variety of tumors, most notably neuroblastomas. Multiple alternatively spliced transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	MYCN
Immunogen:	Synthetic peptide of human MYCN
Full name:	MYCN proto-oncogene, bHLH transcription factor
Synonyms:	NMYC; ODED; MODED; N-myc; bHLHe37
SwissProt:	P04198

ELISA Recommended dilution:	5000-10000
IHC positive control:	Human breast cancer
IHC Recommend dilution:	50-100
WB Predicted band size:	50 kDa
WB Positive control:	293T cell lysate
WB Recommended dilution:	200-1000



